ANALYTICA CHIMICA ACTA, VOL. 218 (1989)

AUTHOR INDEX

Adachi, T.
—, Takeishi, H., Sasaki, Y. and Motojima, K.
Enhancement of ruthenium determination by inductively coupled plasma/atomic emission spectrometry by addition of periodic acid 77
Adams, F.C., see van Borm, W.A. 185
Almuaibed, A.M.
— and Townshend, A.
Flow-injection amperometric determination of oxalate with immobilized oxalate oxidase 1
Aoki, I., see Watanabe, K. 111
Atkinson, G.H., see Gilmore, D.A. 101

Bennett, J.A., see Beug-Deeb, M.U.D. 85
Beug-Deeb, M.U.D.
—, Bennett, F.A., Inman, M.E. and Schweikert, E.A.
Multicomponent dye detection with californium-252 particle-desorption mass spectrometry 85
Borm, W.A., van, see van Borm, W.A. 185
Boutonnat, M., see Gilmore, D.A. 101
Brown, S.M.
— and Busch, K.L.
Surface derivatization of ketones and primary amines on thin-layer chromatographic plates for detection by secondary ion mass spectrometry 231
Burns, D.T.
—, Dalgarno, B.G. and Flockhart, B.D.
Optimization of the electron spin resonance spectrometric determination of transition-metal ions by variation of temperature 93
Busch, K.L., see Brown, S.M. 231
Busch, K.L., see Doherty, S.J. 217

Carmona, M.
—, Silva,M. and Pérez-Bendito, D.
Stopped-flow kinetic determination of acetaminophen by oxidation with a 1,10-phenanthroline/iron(III) complex 313
Chakraborty, D.
— and Das, A.K.
Indirect determination of vanadium by atomic absorption spectrometry 341
Chan, W.H., see Lee, A.W.M. 157
Chiu, C.M.L., see Lee, A.W.M. 157
Clapp, P.A.
—, Evans, D.F. and Sheriff, T.S.S.
Spectrophotometric determination of hydrogen peroxide after extraction with ethyl acetate 331

Dalgarno, B.G., see Burns, D.T. 93
Damerau, W., see Haseloff, R.F. 179
Das, A.K., see Chakraborty, D. 341
Doherty, S.J.
— and Busch, K.L.
Preservation of spatial resolution with use of a phase-transition extraction matrix in chromatography/secondary ion mass spectrometry 217

Ebert, B., see Haseloff, R.F. 179
Elderfield, H., see Greaves, M.J. 265
Erickson, B.C.
—, Ruzicka, J. and Kowalski, B.R.
Resolution of chemical species in flow injection analysis by using self-modeling curve resolution 303
Evans, D.F., see Clapp, P.A. 331

Fainshtein, G., see Krumgalz, B.S. 335
Flockhart, B.D., see Burns, D.T. 93
Flossdorf, J., see Ruzicka, J. 291
Furusawa, M., see Kiba, N. 161

Gan, L.M., see Wong, M.K. 345
Gilmore, D.A.
—, Oliphant, N., Boutonnat, M. and Atkinson, G.H.
Ultraviolet laser photoacoustic spectrometric determination of sulfur dioxide in mixtures containing larger amounts of nitrogen dioxide 101
Greaves, M.J.
—, Elderfield, H. and Klinkhammer, G.P.
Determination of the rare earth elements in natural waters by isotope-dilution mass spectrometry 265

Gritzapis, P.
— and Timotheou-Potamia, M.
Determination of reducing sugars with a 2,4-dinitrophenolate-selective membrane electrode 37

Hara, S., see Kumamaru, T. 173
Haseloff, R.F.
—, Ebert, B. and Damerau, W.
Superoxide generation in alkaline dimethyl sulphoxide 179
Hayashi, T., see Tsuchiya, H. 119
Hojjatie, M., see Watanabe, K. 111
Hori, S., see Kiba, N. 161

Inman, M.E., see Beug-Deeb, M.U.D. 85
Irving, H.M.N.H.
— and Wyrley-Birch, J.
A generalized form of the extraction constant for the partition of a metal chelate between immiscible aqueous and organic phases 323
Isshiki, K., see Sohrin Y. 25

Kabbani, M.W.
—, Rubio-Borroso, S. and Polo-Diez, L.M.
Determination of traces of gallium in the presence of aluminium by synchronous derivative spectrofluorimetry 167
Karlíček, R., see Solich, P. 151
Karube, I., see Kitagawa, Y. 61
Karube, I., see Yokoyama, K. 137
Kempster, P.L.
—, van Vliet, H.R. and van Staden, J.F.
Determination of boron in water by flow injection/inductively coupled plasma emission spectrometry 69
Kiba, N.
—, Hori, S. and Furusawa, M.
Flow-injection determination of branched-chain L-amino acids with immobilized leucine dehydrogenase 161
Kiboku, M., see Kumamaru, T. 173
Kihara, S., see Sohrin Y. 25
Kitabatake, K., see Kitagawa, Y. 61
Kitagawa, Y.
—, Kitabatake, K., Kubo, I., Tamiya, E. and Karube, I.
Alcohol sensor based on membrane-bound alcohol dehydrogenase 61
Klinkhammer, G.P., see Greaves, M.J. 265
Koh, L.L., see Wong, M.K. 345
Koike, T., see Tsuchiya, H. 119
Kowalski, B.R., see Erickson, B.C. 303
Krumgalz, B.S.
— and Fainshtein, G.
Trace metal contents in certified reference sediments determined by nitric acid digestion and atomic absorption spectrometry 335
Kubo, I., see Kitagawa, Y. 61
Kumamaru, T.
—, Okamoto, Y., Hara, S., Matsuo, H. and Kiboku, M.
Simultaneous determination of copper and lead by graphite-furance atomic absorption spectrometry after liquid–liquid extraction of the ion pair with zephiramine 173

Lee, A.W.M.
—, Chan, W.H., Chiu, C.M.L. and Tang, K.T.
Ultraviolet spectrophotometric determination of primary and secondary aliphatic amines by formation of dithiocarbamates 157
Lin, M.-S., see Wang, J. 281
Lovrić, M.
Influence of anion-induced adsorption on d.c. polarography of metal ions 7

Maj-Zurawska, M.
—, Rouilly, M., Morf, W.E. and Simon, W.
Determination of magnesium and calcium in water ion-selective electrodes 47
Marek, M., see Solich, P. 151
Matsui, M., see Sohrin, Y. 25
Matsumoto, Y., see Yao, T. 129
Matsuo, H., see Kumamaru, T. 173
Morf, W.E., see Maj-Zurawska, M. 47
Motojima, K., see Adachi, T. 77

Nakamura, T., see Watanabe, K. 111
Nakayama, E., see Sohrin, Y. 25
Ng, K.H., see Wong, M.K. 345

Okamoto, Y., see Kumamaru, T. 173
Oliphant, N., see Gilmore, D.A. 101

Pérez-Bendito, D., see Carmona, M. 313
Polášek, M., see Solich, P. 151
Polo-Diez, L.M., see Kabbani, M.W. 167
Poole, C.F., see Poole, S.K. 241
Poole, S.K.
—, Shetty, P.H. and Poole, C.F.

Chromatographic and spectroscopic studies of the solvent properties of a new series of room-temperature liquid tetraalkylammonium sulfonates 241

Rouilly, M., see Maj-Zurawska, M. 47
Rubio-Borroso, S., see Kabbani, M.W. 167
Ruzicka, J., see Erickson, B.C. 303
Ruzicka, J.
— and Flossdorf, J.
Characterization of immobilized enzymes by flow-injection techniques with variable forward flow 291

Sasaki, Y., see Adachi, T. 77
Schweikert, E.A., see Beug-Deeb, M.U.D. 85
Sheriff, T.S.S., see Clapp, P.A. 331
Shetty, P.H., see Poole, S.K. 241
Siepak, J.
Use of a terbium chelate as label in spectrofluorimetric determinations of protein traces 143
Silva, M., see Carmona, M. 313
Simon, W., see Maj-Zurawska, M. 47
Sode, K., see Yokoyama, K. 137
Sohrin, Y.
—, Isshiki, K., Nakayama, E., Kihara, S. and Matsui, M.
Simultaneous determination of tungsten and molybdenum in sea water by catalytic current polarography after preconcentration on a resin column 25
Solich, P.
—, Polášek, M., Karlíček, R., Valentová, O. and Marek, M.
Spectrophotometric flow-injection determination of urea in body fluids by using an immobilized urease reactor 151
Staden, J.F., van, see Van Staden, J.F. 69

Takeishi, H., see Adachi, T. 77
Tamiya, E., see Kitagawa, Y. 61
Tamiya, E., see Yokoyama, K. 137
Tang, K.T., see Lee, A.W.M. 157
Timotheou-Potamia, M., see Gritzapis, P. 37
Townshend, A., see Almuaibed, A.M. 1
Tsuchiya, H.
—, Koike, T. and Hayashi, T.
On-line purification for the determination of catecholamines by liquid chromatography 119
Valentová, O., see Solich, P. 151
Van Borm, W.A.
— and Adams, F.C.
Recent advances in electron-probe x-ray microanalysis 185
Van Staden, J.F., see Kempster, P.L. 69
Van Vliet, H.R., see Kempster, P.L. 69
Vliet, H.R., van, see van Vliet, H.R. 69

Wang, J.
— and Lin, M.-S.
Dual electrode configurations with a plant tissue as generator reactor 281
Wasa, T., see Yao, T. 129
Watanabe, K.
—, Hojjatie, M., Nakamura, T. and Aoki, I.
Liquid–liquid extraction and spectrophotometric determination of palladium with 2-mercaptobenzamide 111
Wong, M.K.
—, Gan, L.M., Koh, L.L. and Ng, K.H.
Toluene solvent system for the headspace gas chromatographic determination of styrene monomer in polystyrene 345
Wyrley-Birch, J., see Irving, H.M.N.H. 323

Yao, T.
—, Matsumoto, Y. and Wasa, T.
Specific detection of nicotinamide coenzymes by liquid chromatography and amperometric detection with immobilized glucose-6-phosphate dehydrogenase 129
Yokoyama, K.
—, Sode, K., Tamiya, E. and Karube, I.
Integrated biosensor for glucose and galactose 137